BMC Bioinformatics



Correction Open Access

Correction: versatile and declarative dynamic programming using pair algebras

Peter Steffen* and Robert Giegerich

Address: Faculty of Technology, Bielefeld University, Postfach 10 01 31, 33501 Bielefeld, Germany

Email: Peter Steffen* - psteffen@techfak.uni-bielefeld.de; Robert Giegerich - robert@techfak.uni-bielefeld.de

* Corresponding author

Published: 20 April 2006

BMC Bioinformatics 2006, 7:214 doi:10.1186/1471-2105-7-214

Received: 19 April 2006 Accepted: 20 April 2006

This article is available from: http://www.biomedcentral.com/1471-2105/7/214

© 2006Steffen and Giegerich; licensee BioMed Central Ltd.

This is an Open Access article distributed under the terms of the Creative Commons Attribution License (http://creativecommons.org/licenses/by/2.0), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

We have located a typesetting error in our recent publication in BMC Bioinformatics 2005,6:224 [1].

Although the error is quite minor (l' = l has been miswritten as $l' \in L$), it occurs in the central Definition 3 in the paper, and is also pasted into subsequent example code (both error sites on p.7, right column).

This error unfortunately looks mathematically plausible, although it is in contradiction with the given verbal explanations

The corrected Definition 3 now reads as:

Definition 3 (Product operation on evaluation algebras) Let M and N be evaluation algebras over Σ . Their product $M^{***}N$ is an evaluation algebra over Σ and has the functions

$$f_{M^{***}N}\left((m_1,\ n_1)...(m_k,\ n_k)\right) = (f_M(m_1,...,m_k),\ f_N(n_1,...,n_k))$$
 for each f in Σ ,

and the objective function

$$\begin{split} h_{M^{***}N}([(m_1, n_1)...(m_k, n_k)]) &= [(l, r)| \\ &l \in L, \\ &r \leftarrow h_N([r'|(l', r') \leftarrow [(m_1, n_1)...(m_k, n_k)], \, l' = l])], \\ &\text{where } L = h_M([m_1, ..., n_k]). \end{split}$$

References

 Steffen P, Giegerich R: Versatile and declarative dynamic programming using pair algebras. BMC Bioinformatics 2005, 6:224.