

CORRECTION

Open Access

Correction to: Towards pixel-to-pixel deep nucleus detection in microscopy images



Fuyong Xing^{1*}, Yuanpu Xie², Xiaoshuang Shi², Pingjun Chen², Zizhao Zhang³ and Lin Yang^{2,3}

Correction to: BMC Bioinformatics (2019) 20:472
<https://doi.org/10.1186/s12859-019-3037-5>

Following publication of the original article [1], we have been notified of a few errors in the html version:

- The captions for Fig. 1 and Fig. 2 have been switched
- The references to Fig. 1 and Fig. 2 have been switched within the main text

The pdf version of the article is correct. The original article has been corrected.

Author details

¹Department of Biostatistics and Informatics, and the Data Science to Patient, Value initiative, University of Colorado Anschutz Medical Campus, 13001 E, 17th Pl, Aurora, CO 80045, USA. ²J. Crayton Pruitt Family, Department of Biomedical Engineering, University of Florida, 1275 Center, Drive, Gainesville, FL 32611, USA. ³Department of Computer and Information Science and Engineering, University of Florida, 432 Newell Drive, Gainesville, FL 32611, USA.

Published online: 22 October 2019

Reference

1. Xing F, et al. Towards pixel-to-pixel deep nucleus detection in microscopy images. *BMC Bioinformatics*. 2019;20:472. <https://doi.org/10.1186/s12859-019-3037-5>.

* Correspondence: fuyong.xing@ucdenver.edu

¹Department of Biostatistics and Informatics, and the Data Science to Patient, Value initiative, University of Colorado Anschutz Medical Campus, 13001 E, 17th Pl, Aurora, CO 80045, USA

Full list of author information is available at the end of the article

